TRAIL FORTRESS

BUILT FOR THE TRAIL. CHECKED FOR YOUR TRUCK.

Rough Country 10538 Installation Instructions

1/8-Inch Steel Fender Delete Kit for Jeep Wrangler (2007-2017)

Part number: 10538

trailfortress.com/1-8-inch-steel-fender-delete-kit-jeep-wrangler-rough-country-10538

Scan for fitment, price and install help

921105380

ROUGH COUNTRY
SUSPENSION SYSTEMS®

JEEP 2007-18 JK Fender Delete Kit

Thank you for choosing Rough Country for all your vehicle needs.

Please read instructions before beginning installation. Check the kit hardware against the kit contents shown below. Be sure you have all needed parts and know where they go.
If question exist, please call us @1-800-222-7023. We will be happy to answer any questions concerning this product.
Check all fasteners for proper torque. Check to ensure for adequate clearance between all components.
Periodically check all hardware for tightness.

⚠ NOTICE **Check your local and state laws regarding fender and tire coverage requirements.**


TOOLS NEEDED:
10mm socket
4mm allen Wrench
5mm allen Wrench
13mm Wrench
Rachet
1/8" Drill
5/16" Drill
Drill Motor
1/8" Punch
Hammer
3/8" or W Drill

KIT CONTENTS:
1-Front Drivers Side Fender Delete
1-Front Pass Side Fender Delete
1-Rear Drivers Side Fender Delete
1- Rear Pass Side Fender Delete
1-10536BAG
1-10537BAG

HARDWARE INCLUDED:

10536BAG:
16-8mm-1.25 X 25MM BHCS
16-8mm FLAT WASHER
16-8mm-1.25 Nylock Nut
2-6mm-1.0 X 20mm BHCS
2-6mm Flat Washer

10537BAG:
18-6mm-1.0 X 20mm BHCS
26-6mm Flat Washer
12-6mm X 1 Blind Nut Insert
6-6mm-1.0 Nylock Nut
1-6MM-1.0 X 40MM HHCS
2-5/16-18 Hex Nut



Torque Specs:

Size	Grade 5	Grade 8	Size	Class 8.8	Class 10.9
5/16"	15 ft/lbs	20ft/lbs	6MM	5ft/lbs	9ft/lbs
3/8"	30 ft/lbs	35ft/lbs	8MM	18ft/lbs	23ft/lbs
7/16"	45 ft/lbs	60ft/lbs	10MM	32ft/lbs	45ft/lbs
1/2"	65 ft/lbs	90ft/lbs	12MM	55ft/lbs	75ft/lbs
9/16"	95 ft/lbs	130ft/lbs	14MM	85ft/lbs	120ft/lbs
5/8"	135ft/lbs	175ft/lbs	16MM	130ft/lbs	165ft/lbs
3/4"	185ft/lbs	280ft/lbs	18MM	170ft/lbs	240ft/lbs

RC ROUGH COUNTRY