TRAIL FORTRESS

BUILT FOR THE TRAIL. CHECKED FOR YOUR TRUCK.

Rough Country 10806A Installation Instructions

Front Bumper with LED Cubes for Ram 2500 (2019-2025)

Part number: 10806A

trailfortress.com/led-front-bumper-ram-2500-and-3500-rough-country-10806a

Scan for fitment, price and install help

921080600

ROUGH COUNTRY
SUSPENSION SYSTEMS®

RAM 2019-21 2500 Front Bumper

Thank you for choosing Rough Country for all your vehicle needs.

Please read instructions before beginning installation. Check the kit hardware against the kit contents shown below. Be sure you have all needed parts and know where they go.
If question exist, please call us @1-800-222-7023. We will be happy to answer any questions concerning this product.
Check all fasteners for proper torque. Check to ensure for adequate clearance between all components.
Periodically check all hardware for tightness.

KIT CONTENTS:
Front Bumper x1
Frame Bumper Brackets x2
Driver Side (L) Light Bracket x1
Pass Side (L) Light Bracket x1
License Plate Bracket x1
License Plate Plugs x2
Sensor Retaining Caps x6
Foam Sensor Spacers x6
Foam Seals x6
Sensor Plugs x6
Wiring Harness Extension x2
Sensor Cover Kit x1
20" LED Light Kit x1

HARDWARE INCLUDED:
10mm x 35mm Hex Head Bolts x8
10mm Flat Washers x16
10mm Nylock Nuts x8
8mm x 25mm Hex Bolts x4
8mm x 16mm Hex Bolts x2
8mm Lock Washers x6
8mm Flat Washers x10
8mm Hex Nuts x4
6mm x20mm Button Allen Bolts x2
6mm Flat Washers x4
6mm Nylock Nuts x2
4mm Self Tapping Screws x12

HARDWARE INCLUDED:
10806BOX2
Skid Plate Brackets x2
5mm Allen Wrench
8mm Lock Washers x6
8mm Flat Washers x8
8mm x 25mm Button Head Bolts x6
8mm Hex Nuts x2

TOOLS NEEDED:
10mm Wrench or Socket
13mm Wrench and Socket
17mm Wrench or Socket
18mm Wrench or Socket
21mm Wrench or Socket
Air Saw or Razor Knife



Torque Specs:

Size	Grade 5	Grade 8	Size	Class 8.8	Class 10.9
5/16"	15 ft/lbs	20ft/lbs	6MM	5ft/lbs	9ft/lbs
3/8"	30 ft/lbs	35ft/lbs	8MM	18ft/lbs	23ft/lbs
7/16"	45 ft/lbs	60ft/lbs	10MM	32ft/lbs	45ft/lbs
1/2"	65 ft/lbs	90ft/lbs	12MM	55ft/lbs	75ft/lbs
9/16"	95 ft/lbs	130ft/lbs	14MM	85ft/lbs	120ft/lbs
5/8"	135ft/lbs	175ft/lbs	16MM	130ft/lbs	165ft/lbs
3/4"	185ft/lbs	280ft/lbs	18MM	170ft/lbs	240ft/lbs