TRAIL FORTRESS

BUILT FOR THE TRAIL. CHECKED FOR YOUR TRUCK.

Rough Country 11017 Installation Instructions

Rear Traction Bar Kit for 2-6in Lifted Trucks

Part number: 11017

trailfortress.com/rear-traction-bar-kit-2-6in-lifted-trucks-rough-country-11017

Scan for fitment, price and install help

921110170

GM 2019-23 1500 6” Lift Traction Bar Kit

Thank you for choosing Rough Country for all your vehicle needs.

Please read instructions before beginning installation. Check the kit hardware against the kit contents shown below. Be sure you have all needed parts and know where they go.
If questions exist, please call us @1-800-222-7023. We will be happy to answer any questions concerning this product.
Check all fasteners for proper torque. Check to ensure for adequate clearance between all components.
Periodically check all hardware for tightness.

⚠NOTICE Rough Country recommends a certified technician install this system. In addition to these instructions, professional knowledge of disassemble/reassembly procedures as well as post installation checks must be known. Attempts to install this system without this knowledge and expertise may jeopardize the integrity and/or operating safety of the vehicle. Please read instructions before beginning installation. Check the kit hardware against the kit contents. Be sure you have all needed parts and know where they go. Also please review tools needed list and make sure you have needed tools.

Kit Contents:

2 - Traction Bars
1 - Driver Side Frame Mount
1 - Passenger Side Frame Mount
1 - Driver Side Axle Mount
1 - Passenger Side Axle Mount
2 - Adjustable Eyerings

Hardware Included:

2 - Flag Nut
1 - 1070BAG2
4 - 14mm x 100mm Bolts
4 - 14mm Lock Nuts
8 - 5/16” Flat Washers
4 - 1/2” x 1 3/4” Bolts
4 - 1/2” Lock Washers
2 - 1” Jam Nut

Tools Required:

22mm Socket or Wrench
1/2” Drill
Drill Motor
19mm Socket or Wrench
Step Drill
Crescent Wrench
Paint Pen
Tape Measure



Torque Specs:

Size	Grade 5	Grade 8	Size	Class 8.8	Class 10.9
5/16”	15 ft/lbs	20ft/lbs	6MM	5ft/lbs	9ft/lbs
3/8”	30 ft/lbs	35ft/lbs	8MM	18ft/lbs	23ft/lbs
7/16”	45 ft/lbs	60ft/lbs	10MM	32ft/lbs	45ft/lbs
1/2”	65 ft/lbs	90ft/lbs	12MM	55ft/lbs	75ft/lbs
9/16”	95 ft/lbs	130ft/lbs	14MM	85ft/lbs	120ft/lbs
5/8”	135ft/lbs	175ft/lbs	16MM	130ft/lbs	165ft/lbs
3/4”	185ft/lbs	280ft/lbs	18MM	170ft/lbs	240ft/lbs