TRAIL FORTRESS

BUILT FOR THE TRAIL. CHECKED FOR YOUR TRUCK.

Rough Country 1272BOX4 Installation Instructions

Kicker Bar Kit (Rough Country 1272BOX4)

Part number: 1272BOX4

trailfortress.com/kicker-bar-kit-rough-country-1272box4

Scan for fitment, price and install help

921272BOX4

ROUGH COUNTRY SUSPENSION SYSTEMS®

1272BAG5

99-06 CHEVY/GM KICKER BARS FOR 6”KIT

Thank you for choosing Rough Country for all of your suspension needs.

Rough Country recommends a certified technician installs this system. In addition to these instructions, professional knowledge of disassemble/reassembly procedures as well as post installation checks must be known. Attempts to install this system without this knowledge and expertise may jeopardize the integrity and/or operating safety of the vehicle.

Please read all the instructions before beginning the installation. Check the kit hardware against the parts list. Be sure you have all the needed parts and understand where they go. If anything is missing, do not proceed with the installation, call Rough Country to obtain needed items.

Product Use Information

⚠NOTICE 1999 and early 2000 models have a S shaped transmission cross-member. This kit will fit both the 1999-early 2000 and the late 2000 to 2006 models with the included components. Instructions are included in this sheet for both models.

⚠NOTICE

Notice to Dealer and Vehicle Owner

Any vehicle equipped with any Rough country product must have the “Warning to Driver” decal installed on the sun visor or dash. The decal is to act as a constant reminder for whoever is operating the vehicle of its unique handling characteristics. INSTALLING DEALER—It is your responsibility to install the warning decal and to forward these installation instructions on too the vehicle owner for review and to be kept in the vehicle for its service life.

Kit Contents:

- **Kicker Bars (2)**
- **Rear Cross member Brackets (2)**
- **Kicker Bracket (2)**
- **Poly Bag (1)**

Tools Needed:

3/4” Socket / Wrench
Magnet Tool
18mm Socket / Wrench

Torque Specs

Size	Grade 5	Grade 8
1/2”	65 ft/lbs	90 ft/lbs
	Class 8.8	**Class 10.9**
12MM	55ft/lbs	75ft/lbs



