TRAIL FORTRESS

BUILT FOR THE TRAIL. CHECKED FOR YOUR TRUCK.

Rough Country 1627 Installation Instructions

Control Arm Drop Kit for Jeep Cherokee (1984–2001)

Part number: 1627

trailfortress.com/control-arm-drop-kit-jeep-cherokee-rough-country-1627

Scan for fitment, price and install help



JEEP XJ 84-01 CONTROL ARM RELOCATION BRACKET AND RCX BRACE KIT

Thank you for choosing Rough Country for your suspension needs.

Rough Country recommends a certified technician install this system. In addition to these instructions, professional knowledge of disassemble/reassembly procedures as well as post installation checks must be known. Attempts to install this system without this knowledge and expertise may jeopardize the integrity and/or operating safety of the vehicle.

Please read instructions before beginning installation. Check the kit hardware against the parts list on this page. Be sure you have all needed parts and know where they go. Also please review tools needed list and make sure you have all of the needed tools.

PRODUCT USE INFORMATION

As a general rule, the taller a vehicle is, the easier it will roll. Seat belts and shoulder harnesses should be worn at all times. Avoid situations where a side rollover may occur.

Generally, braking performance and capability are decreased when larger/heavier tires and wheels are used. Take this into consideration while driving.

Rough Country makes no claims regarding lifting devices and excludes any and all implied claims. We will not be responsible for any product that is altered.

This kit is an add on kit—it will not lift your vehicle without additional product. This kit is used to lower the upper and lower control arms. Lowering the arms mounting point reduces control arms angle and substantially improves ride quality and handling. This kit can be used with stock lower control arms and with stock upper control arms at 4.5” of lift. For additional lift longer adjustable control arms are needed. To determine length to adjust arms use chart below.

Lift Height	Lower Control Arm	Upper Control Arm
4.5”	15.75” - Stock Length	15” - Stock Length
6”	15.875”	15.125”
8”	16.25”	15.524”

KIT CONTENTS:

1-Dr control arm drop brkt
1-Pa control arm drop brkt
1-Dr upper control arm brkt
1-Pa upper control arm brkt
1-Dr RCX bracket brace
1-Pa RCX bracket brace
1-1627 poly bag
- 4-5/16” x 1 1/4” bolt
- 4-5/16” flange nuts
- 4-5/16” washers
- 2-10mm X 90mm bolt
- 2-10mm nuts
- 4 10mm washers
- 2– 2” crush sleeves
- 2-1/2” x 4 1/2” bolts
- 2-1/2” lock nuts
- 4-1/2” washers
- 4-3/8” self tap. bolts
- 2– 1/2” x 2 5/16”Crush Sleeves

